

920.326.5193 Randolph 608.251.4318 Madison 800.321.5193 Toll Free 563.203.0182 Cresco, IA

920.326.5209 Fax



P.O. Box 150 Randolph, WI 53956

December 23, 2013

Dave Johnson
Wisconsin Department of Natural Resources
Private Water Systems Section
Bureau of Drinking Water and Ground Water
101 S Webster Street
P.O. Box 7921
Madison, WI 53707-7921

RECEIVED-DNR

DEC 26 2013

DRINKING WATER & GW

RE: High Capacity Well Application for James and Lee Jensen, E9817 590<sup>th</sup> Avenue, Elk Mound, Wisconsin, Town of Colfax, Dunn County.

Dear Dave:

On behalf of James and Lee Jensen, Sam's Well Drilling, Inc., proposes to construct two high–capacity wells in the Town of Colfax. The proposed wells will supply water to two irrigation systems, to be erected on the property. The enclosed application is for this high–capacity well.

According to the owner, there are no other wells on the property at this time. If you have any questions regarding this project, please contact me at (920) 326-5193.

Sincerely,

SAM'S WELL DRILLING, INC.

Jeff Kramer, P.G. Hydrogeologist

Agent authorized to submit this application on behalf of the property owners, James and Lee Jensen.

www.samswelldrilling.com

State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

# High Capacity, School or Wastewater Treatment Plant Well Approval Application

Form 3300-256 (R 7/05)

DEC 26 2013

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin available Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

more duplexes is regulated under ch. NV	off, wis. Adil. Code. Gee Wit	011.01, 1115.7	tarri. Code for applica	months requirements.				
Applicant Information								
, pp. camer, repaired by			Company					
JEFF KRAMER / H	4 DROGEOLOGIST	r JAM'	5 WELL DR	ILLING				
Street Address P.O. Box 150				State ZIP Code				
			OCCAH	WI 53956				
Telephone Number	Fax Number		E-Mail Address					
920-326-5193	920-326-52	209	JEFFILE	SAMJWELL DRILLING,				
Property Ownership Information								
Property owner, if different than applicar		Company						
JAMES R. JENSEN OF	WER	FIUR	E STAR DA	1RY LLC				
Street Address		City		State ZIP Code				
E9817 590# AU	ENUE	ELK	MOUND	WI 54739				
Telephone Number	Fax Number		E-Mail Address					
715-456-4088	715-879-45	<b>ウ</b> ヨ	JJJENSE	NO WWT, NET				
Well Operator Information								
Well operator if different than owner (Na	ame of Person and Title)	Company	150					
LEE D. JENSEN O	WNER	FIUE	STAR DA	1R1, LLC				
Street Address		City	4	State ZIP Code				
E 9817 590th AU	ENUE	EUR.	MOUND	W1 54739				
Telephone Number	Fax Number		E-Mail Address	0				
715-456-4088 715-879-457			13 JJJENSEN@ WWT, NET					
Property Information								
Enter the High Capacity Well File Numbe	r below if the property is alread	y a high capac	ity property. If the pro	perty is not designated as a high capacity he most recent high capacity well approval,				
or use the compact disk of departmental	well data that is issued to driller	s and pump ins	stallers. On the compa	act disk, see "File location" in red print in				
"Location" section. File number format is	as follows: (1 or 2 digits for cour	nty) - (1 digit fo	r well classification) -	(1 to 4 digits for assigned property no.).				
County	COLFAX		High C	Capacity Well File No.				
GORR	COUTE	-						
Submittal Purpose			Bjär kris Suller Sa					
Check all that apply:								
Install one or more new wells wi								
Install one or more new wells wi	th a capacity less than 70 ga	allons per mir	ute on a high capa	city property.				
Replace one or more wells with	a capacity greater than 70 g	allons per mi	nute.					
Replace one or more wells with	a capacity less than 70 gallo	ons per minut	e on a high capacit	y property.				
Reconstruct one or more wells v	with a capacity greater than	70 gallons pe	r minute.					
Reconstruct one or more wells v	with a capacity less than 70 g	gallons per m	inute on a high cap	pacity property.				
Increase pumping rate in one or	more wells to a rate greater	than previou	sly approved.					
Request continued operation of	high capacity wells after a c	hange in own	ership. (No applica	ation fee required.)				
Renew a previous approval that								
Well (or wells) will serve a school		lant. See de	finitions on page 5.					
Other, explain								

		us Information	
and t	he int	e the site status using the internet or the compact disk of department of the supplied by the property owner. Internet address is dnr. owing questions.	ental well data that is issued to drillers and pump installers .wi.gov/org/water/dwg/dws.htm. Enter YES or NO for each
YES	M		capacity well approval was issued? If the property is not
	X	Has there been a change in well ownership since the last approved If YES, name of current owner:	al was written?  Date of purchase:
	×	Has there been a change in well operator since the last approva If YES, name of current operator:	was written?  Date of change:
	×	supply, etc.)? If YES, include a schematic drawing snowing bac	kflow protection.
	×	Is a proposed well within 1,200 feet of a landfill? Determine if the compact disk FIND feature. Enter the township, range and sectionals ocheck the adjacent section or sections.  If YES, list the landfill site ID Number:	ere are any landfills nearby, using the well information on of the well location. If the well is near a section line,  Landfill location: (Township/Range/Section)
	×	Is a proposed well on a property that has a contaminated site? Redevelopment Tracking System) Number here and specify if the	If YES, list the BRRTS (Bureau for Remediation and e site is open or closed:
	M	Is a proposed well on a property that has a groundwater use res number, as assigned to the contaminated site by the DNR reme	triction recorded on the deed? If YES, list the BRRTS diation and redevelopment program:
	X	Is a proposed well on a property that is listed on the department restriction? See compact disk or internet at maps.dnr.state.wi.u here:	's registry of closed remediation sites for a groundwater use s/imf/dnrimf.jsp?site=brrts. If YES, list the BRRTS Number
	×	Is a proposed well to be used for a public water supply system to water system in the definitions section on page 5.	nat serves 25 or more people? See definition of a "public
	X	by the department and/or contact the regional Divin office.	
	X	approval was issued?	
	X	сарасну ргорепу, спеск NO.	
	X	- -	pond proposed or in use?
Ц	×	Will the well discharge directly to a storage pond?	
	X	Is a pressurized tank with a capacity greater than 1,000 gallons	proposed or in use?
	X	Is a proposed well within 1,200 feet of a quarry?	
	X		
	X	Are any existing well installations on the high capacity property Administrative Code?	out of compliance with Chapter NR 812, Wisconsin
	$\times$	_	
	X	Are you seeking a variance to construct a well that has a capac construction standards?	ity of less than 70 gallons per minute to low capacity well
	X	Is the property served by a community water system?	

Existing Well Information									·.				,				
Enter the following information on	all existing	g wel	ls on	the p	rope	rty, if mor	e ti	han f	our	wells,	submit	additi	onal s	heets:		,	
Well Name Assigned by Well Owner (North Well, etc.):	NOO																
Well Number Assigned by Owner (001, 002, etc.):																····	
WI Unique Well Number or NA if no number:																	o.,
Permanent DNR High Capacity Well Number or N/A if none:																****	
Public Water System ID Number, if Public (if not public, NONE):				- "													
Potable or Non-Potable Use:																	
Type of Well (Irrigation, Industrial, Residential, etc.):																	
Requested Average Water Usage per Day in Gallons:				***			•										
Requested Maximum Water Usage per Day in Gallons:		•															
Seasonal? (April to October, Year Around, etc.):																	
Approved Pumping Capacity if Previously Approved (gpm):																	
Current Pump Type & Capacity (gpm):																	
Proposed Pump Type & Capacity If Change Requested (gpm):															·		
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):																	
Discharge Location (Building Pressure Tank, Pond, etc.):																	
Height of Well Casing Above Ground in Inches:														ļ			
Potential Contaminant Sources and Distance:																	
Well Loc: Quarter Quarter Section		/4 of		1/4		1/4 o	f		1/4		1/4 o	<u>f</u>	1/4		1/4 (	of	1/4
or Government Lot Number																	
Section or French Long Lot No.																	
Township:	т			N	т				N_	T			N	T		•	<u>N</u>
Range (Select E or W):	R		ΠE	□w	R			]E[	Jw	R		ΠE	□w	R		E	□w
Latitude (Degrees and Minutes)	0										0				0	<u> </u>	
Longitude (Degrees and Minutes)	۰		4			· _	·.		1		0						1
GPS Map Datum (WGS84,					Γ									Į			
WTM91, etc.) Include as much of the following information well construction record is attached, a	I nation as pr oplicant ma	actica	al for v	vells t	hat d	o not have ows blank.	we	II cons	struc	tion rec	ords att	ached	to the	applica	ation, ho	wever if	the
Date of Construction:	T													Ī			
Drilled by (Name of Drilling Firm):					Т												
Drilling Method(s) (Rotary, Percussion, Etc.)																	
Well Depth in Feet:																	
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	inch	es.		feet		inches,			feet		nches,		feet		inches,		feet
Lower Drillhole Diameter in Inches and Depth in Feet:	inch			feet		inches,			feet		nches,		feet		inches,		feet
Well Casing Diameter in Inches and Depth in Feet:	inch			feet		inches,	_		feet	•	nches,		feet		inches,		feet
Well Casing Material and Wall Thickness:																	
Annular Space Material Between Casing and Drillhole Wall:																	
Is There a Well Screen (Y or N) If so,						<u>-</u>											

Proposed Well Information						
Enter the following information on all	proposed wells on the property, if more than two wells	or alternate construction, submit additional sheets:				
Well Name Assigned by Well Owner (North Well, etc.):	WEST WELL	EAST WELL				
Well Number Assigned by Owner (001, 002, etc.):	001	<i>0</i> 02				
Well Loc: Quarter Quarter Section or French Long Lot Number	NE 1/4 of NE 1/4 of Section 14	び 1/4 of JW 1/4 of Section 12				
or Government Lot Number						
Township & Range (Select E or W)						
Latitude (Degrees and Minutes)	44 . 59.964 .	45 00066 1				
Longitude (Degrees and Minutes)	091 · 40.338 ·	091 · 39.696 ·				
GPS Map Dalum (WGS84, WTM91, etc.)	GP5008	GPSCCB				
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: Terication Potable Non-Potable	Type: TRRICATION Potable				
Drilling Method(s) (Rotary, Percussion, Etc.):	ROTABI	ROTARY				
Anticipated Geological Materials and D	epths that Are Expected During Drilling:					
Material and Depth Interval:	CLAY from 0' to 10	JANDSTONE (TAKING) 0' to 80				
Material and Depth Interval:	Beaux SANDTONEOM 10 to 55 .	SANDSTONE (GARA) 80 to 92				
Material and Depth Interval:	TAN SANDSTENE from 55 to 300	SANDSTONE (TAN) from 92 to 250.				
Material and Depth Interval:	from ' to '	from ' to '				
Material and Depth Interval:	from ' to '	from ' to '				
Drillhole Diameter and Anticipated Dep	th Intervals:	160 from 6 ' to 60 '				
Diameter and Depth Interval:	150" from 0 to 40 to 300 to					
Diameter and Depth Interval:	, , , , , , , , , , , , , , , , , , ,					
Diameter and Depth Interval:	from ' to ' and Wall Thickness at Anticipated Depth Intervals:	from ' to '				
Diameter and Wall Thickness		110 33-				
at Depth Interval:	16.0" diam/, 375" thick 0' to 40 .	160" diam/, 375" thick 0' to 60 .				
Diameter and Wall Thickness at Depth Interval:	" diam/ " thick ' to '	" diam/ " thick ' to '				
Permanent Casing or Liner Material , I	Used:	F				
Casing Joints (Welded, T and C, etc.)	WELDED	WELDED				
Material and Weight at Depth Interval:	STEEL GRADSHOOT 0' to 40.	STEEL ESTRIPSIFOOT 0' to 60.				
Material and Weight		/ lbs/foot 'to				
at Depth Interval: Screen Material, Slot Size in Inches	/ Ibs/foot 'to '	NA / "/ ' to '				
and Depth Interval or N/A if none:  Casing to Screen Joint (Welded, T						
and C. K Packer, etc.)		NA				
Annular Space Material Including Filte	WEAT CEMENT GOOT 0' to 40	NEAT CEMENT CROWT 0' to 60.				
Material and Depth Interval:		/ ' to '				
Material and Depth Interval:  Proposed Average Water Usage Per	/ 'to /					
Day in Gallons: Proposed Maximum Water Usage Per	648,000 (4506PM					
Day in Gallons: Seasonal? (April to October, Year	1,096,000 (9000)	APRILTO OCTOBER				
Around, etc.):	APRIL TO OCTOBER					
Proposed Pump Type & Capacity (gpm):	SUBMERSIBLE / 900 EPM	SUBMERSIBLE / 900 GPM				
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	OVER TOP OF CASING	OVER TOP OF CASING				
Discharge Location (Building Pressure Tank, Pond, etc.):	TREIGHTION OFFICEN	IRRIGATION SYSTEM				
Distance and Direction to Nearest Public Utility Well & Well Name:	OF COUFAY BF 724	COLFAY BF724				
Distance to Other Potential Contaminant Sources:	4 MILES NORTHWEST, COLFAY	JANOFIL.				
Distance to Other Potential Contaminant Sources:						
Leave Blank, for Department use only						

#### Required Attachments

- 1. Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

#### Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box						
JEFF KRAMER		Owner	Agent of the Owner				
Signature All Items	Company SAM'S WELL	DRILLING	Date 12/23/13				
Application submittal. Mail completed application at Section - DG/2, PO Box 7921, Madison WI 53707-7	921.						
Definitions from Wisconsin Administrative Code	s improvementation of the contraction of the contra		engge i en translerende				

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]


"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

<sup>&</sup>quot;High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]



## First American Bank Wisconsin

Member Bremer Financial Corporation



0

3

301 Bremer Avenue Colfax, Wisconsin 54730

Phone: (715) 962-3141




**BILL HAHN** 

BRUCE D. AYRES

### Woods Run Forest Products



WE BUY SAW LOGS BOX 520, COLFAX, WISCONSIN 54730 Telephone: (715) 962-3608



# First American Bank Wisconsin

Member Bremer Financial Corporation



20000000000000000000

S)

9

7

9

3

1

301 Bremer Avenue Colfax, Wisconsin 54730

Phone: (715) 962-3141



**BILL HAHN** 

BRUCE D. AYRES

### Woods Run Forest Products



WE BUY SAW LOGS BOX 520, COLFAX, WISCONSIN 54730 Telephone: (715) 962-3608